PRESS CLIPPING SHEET

PUBLICATION:	Egyptian Gazette
DATE:	28-January-2016
COUNTRY:	Egypt
CIRCULATION:	60,000
TITLE :	Animal testing may soon be history thanks to cell-based tests
PAGE:	Back Page
ARTICLE TYPE:	General Health News
REPORTER:	Staff Report

Animal testing may soon be history thanks to cell-based tests

NEW YORK – Scientists in the United States said yesterday they were developing a faster, more efficient way of gauging the toxicity of chemicals, which may reduce the need for animal testing.

Using human cells in Petri dishes in the lab, they tested about 10,000 different types of chemical compounds including pesticides, industrial chemicals, food additives and drugs.

The results were used to build models to "predict" whether the compounds, or combinations of them, may be harmful to humans or the environment when used in new drugs or environmental chemicals.

Toxicity is one of the main reasons that new drugs fail, and it is hoped this library of toxicity data may spot unsafe chemical compounds at a far earlier phase of research. "Thousands of chemicals to which humans are exposed have inadequate data on which to predict their potential for toxicological effects," the study authors wrote in the journal *Nature Communications.*

Traditional toxicity tests using animals are expensive and species differences mean they do not always accurately predict a chemical's effect on humans.

They also raises ethical concerns about animal welfare.

The project, dubbed Tox21, is a joint effort involving three US federal agencies: the Environmental Protection Agency, the National Institutes of Health (NIH) and the Food and Drug Administration (FDA).

"An important goal of the US Tox21 programme is to use in vitro (Petri dish) data as surrogates for in vivo (live) toxic- ity to reduce animal testing," study co-author Ruili Huang of the NIH told AFP by email.

But to achieve this, cell tests have to be just as predictive, or more so, of human toxicity as animal tests.

After testing about 10,000 compounds, each in 15 different concentrations and on different cells, the team used their database to build predictive models for new chemical combinations.

They found that their models could predict toxicity for both humans and animals, and may be "a promising alternative to traditional animal toxicology studies."

Further work must be done to validate and improve the models, which Huang said may never completely replace animal testing.

USING human cells in Petri dishes in the lab, they tested about 10,000 different types of chemical compounds including pesticides, industrial chemicals, food additives and drugs.